

Digital Transformation of Livestock Farming for Sustainable Development

Homaira Afroz Himu¹, and Asif Raihan^{2*}

¹Department of Veterinary and Animal Sciences, University of Rajshahi, Rajshahi 6205, BANGLADESH

²Universiti Kebangsaan Malaysia, Bangi 43600, Selangor, MALAYSIA

*Corresponding Author: asifraihan666@gmail.com

How to cite this paper

Himu, H. A., & Raihan, A. (2024). Digital Transformation of Livestock Farming for Sustainable Development *International Journal of Livestock Research*, 14 (9), 1-11.

Received : Jun 14, 2024
Accepted : Sep 05, 2024
Published : Sep 30, 2024

Copyright © Himu & Raihan, 2024

This work is licensed under the Creative Commons Attribution International License (CC BY 4.0).
<http://creativecommons.org/licenses/by/4.0/>



Open Access

Abstract

With the increasing global population, livestock farming must adapt to the growing demands for food while increasing productivity more efficiently. At the same time, worries about animal welfare, environmental sustainability, and public health must be addressed. The objective of this article is to present an overview of recent developments in using biometric devices, big data, and blockchain technology to digitize animal husbandry in Precision Livestock Farming (PLF). Biometric sensors are devices that monitor the health and behavior of an individual animal. Farmers may use this information for doing population-level analysis. Big data analytics systems use statistical algorithms to analyze large and complex data sets, identifying relevant trending patterns and providing guidance on decisions for farmers. These systems analyze and combine data from biometric sensors. Blockchain technology with sensors makes it safe and easy to track animal products from the farm to the table. This is an effective way to monitor disease outbreaks, prevent economic losses, and mitigate food-related health pandemics. The adoption of PLF technologies throughout the livestock sector can help to achieve sustainable development.

Keywords: Digitalization, Livestock, Technology. Sustainability.

Introduction

The predicted worldwide human population is expected to exceed 9 billion by 2050, representing an increase of nearly 2 billion compared to the current population. The population expansion will predominantly take place in developing countries. The rise in population and accelerated development in these nations will lead to a surge in the demand for animal products (Raihan & Himu, 2023). Livestock production in developing countries offers reliable food sources, employment, and prospects for enhanced revenue. A significant portion of the demand for animal products will be satisfied through domestic production. Nevertheless, despite the increasing population and the rising need for animal protein, consumers are displaying heightened apprehension regarding the adverse effects of livestock production on the environment, public health, and animal welfare (Ochs *et al.*, 2018). As water and land resources are becoming insufficient, livestock farmers will have to find ways to increase productivity while using their limited resources in a sustainable manner (Baldi & Gottardo, 2017).

Furthermore, there is a significant shift in societal views, particularly among consumers, which intensifies the need for responsible research and innovation to address urgent issues in livestock production using circular and sustainable approaches (Himu & Raihan, 2023). The process of digitalization will contribute to the advancement of these objectives. Utilizing digital technologies in livestock farming will provide a comprehensive investigation and complete comprehension of the dynamics and consequences of climate change on farm animal ecology (Raihan, 2023a). Effective management of new transboundary livestock infectious animal diseases, particularly zoonosis (transmission to humans), relies heavily on the implementation of innovative strategies and best practices. Digitalization can provide solutions, such as prediction tools for preventing, mitigating, and preparing for animal diseases and pandemic emergencies (Raihan, 2023b).

In order to satisfy the increasing need for animal protein while also addressing issues regarding environmental sustainability, public health, and animal welfare, farmers and animal scientists may increasingly depend on Precision Livestock Farming (PLF) technologies to digitize the practice of livestock agriculture. This research study explores the utilization of PLF technologies, including biometric sensors, big data, and blockchain technology, to enhance livestock production, specifically in terms of enhancing animal health and well-being. Figure 1 presents the utilization of PLF technologies in livestock production.




Fig. 1: The utilization of PLF technologies in livestock production (Neethirajan & Kemp, 2021).

Current Trends in Livestock Farming

Over the past decade, major improvements have been made in various areas such as automated feeding systems, milking robots, waste management, and optimizing production efficiency through the use of instruments, animal

breeding, genetics, and nutrition. Despite this progress, there are still major obstacles that exist. Intensive livestock management is important to satisfy the growing need for animal products. However, the compact and congested conditions of livestock houses create challenges for farmers in monitoring the health and well-being of the animals (Helwatkar *et al.*, 2014). The increasing effects of climate change will increase the vulnerability of livestock animals to diseases, heat stress, and other health risks (Bernabucci, 2019; Raihan, 2023c). Consequently, there will be an increased need to quickly identify health problems and disease outbreaks, understand how diseases spread, and implement preventive actions to mitigate significant economic damages (Thornton, 2010; Raihan, 2023d). The increasing concerns over animal welfare, transparency, and environmental sustainability (Raihan, 2023e), along with these issues, have resulted in a rising interest in the digitalization of livestock agriculture using PLF technologies (Klerkx *et al.*, 2019).

The PLF technologies apply process engineering techniques to automate livestock agriculture. This allows farmers to efficiently monitor the well-being and health of large animal populations, quickly identify problems with specific animals, and even predict possible problems by analyzing past data (Benjamin & Yik, 2019). Recent developments in PLF technologies include various uses. Such as the monitoring of cow behavior, the detection of vocalizations such as screams in pigs, the monitoring of coughs in various animals to identify respiratory illnesses, and the detection of bovine pregnancy by changes in body temperature. PLF technologies may help farmers in monitoring infectious diseases in livestock agriculture, hence increasing food safety and availability. Implementing PLF technology will eventually improve animal well-being and minimize food safety problems while increasing resource utilization (Norton *et al.*, 2019).

Challenges to Traditional Livestock Business

The primary obstacles in effectively monitoring animal welfare are three fundamental elements: cost, reliability, and timing of observations. The majority of existing strategies are defined as being time-consuming, requiring a significant amount of labor, and hence, being expensive (Jorquera-Chavez *et al.*, 2019). Livestock farmers frequently depend on stockpeople's observations to identify health and welfare issues. However, numerous commercial facilities have a significant imbalance between the number of stockpeople and the number of animals. For instance, on a commercial pig farm, the ratio of stockpersons to pigs is often 1:300 (Benjamin & Yik, 2019). Even the most attentive and highly skilled stockpeople may fail to notice animals in a critical state. Third-party auditing programs provide detailed assessments of animal care, but they are frequently expensive and time-consuming.

Implementing PLF technologies, namely biometric sensors, would enable farmers to monitor the well-being of animals in real time with accuracy, objectivity, and regularity. This would facilitate the early detection of problems and the timely implementation of preventive actions to avoid serious failures. PLF technologies provide non-intrusive sampling, enabling farmers and researchers to gather accurate measurements that can be utilized to solve welfare issues (Jorquera-Chavez *et al.*, 2019). PLF technologies have the potential to reduce the use of resources. By adopting a proactive and customized approach to animal health, the reliance on drugs, especially antibiotics, might be significantly reduced.

Consumers' growing concern with the sustainability (Raihan, 2024) and welfare of animal products has led to an increased need for transparency from livestock farmers. Blockchain technology enables farmers to establish transparency with consumers about the food, without putting additional time requirements on the farmers. The time saved in this context might be more effectively utilized to oversee matters about animal welfare, public safety, and environmental sustainability (Benjamin & Yik, 2019).

Biometric Sensing

Biometric sensors monitor the behavioral and physiological characteristics of livestock, enabling farmers to assess the health and well-being of an animal over some time. Currently, there is a diverse range of biometric sensors available, which can be categorized as either non-invasive or invasive. Adaptable non-invasive sensors for barn monitoring include surveillance cameras and sensors added to feeding systems for monitoring animal weight and feed consumption. Non-invasive sensors include several sensors that can be easily attached to animals, including pedometers, GPS (global positioning system), and MEMS (micro-electromechanical) based activity sensors. These sensors are utilized for monitoring and tracking animal behavior (Helwatkar *et al.*, 2014). Less frequently explored

in livestock, invasive sensors are typically ingested or implanted in an animal. These sensors are beneficial for monitoring internal physiological indicators in dairy cows, such as rumen health, body temperature, and vaginal pressure (Helwatkar *et al.*, 2014).

The livestock business has implemented biometric sensor technologies to efficiently monitor a larger number of animals without requiring more time or staff. This allows the industry to get accurate and unbiased measurements of animal health and wellbeing (Helwatkar *et al.*, 2014). The sensors gather data which is ultimately saved in databases and analyzed by algorithms - sets of instructions or calculations that are conducted sequentially to address specific problems. Livestock biometric sensors utilize advanced algorithms to analyze raw sensor data and generate biologically significant information. This includes metrics such as the duration of various behaviors exhibited by animals on a given day, as well as variations in activity levels over specific time intervals (Benjamin & Yik, 2019). These sensors may additionally monitor behaviors within specified criteria and notify farmers when an animal's behavior differs from normal levels, enabling them to inspect the animal and take appropriate action to enhance its health and well-being. The combination of biometric sensors with big data analytics, artificial intelligence, and bioinformatics technologies, such as those used for genomics, has the potential to detect animals with desirable characteristics and help with their selection for breeding programs (Ellen *et al.*, 2019).

There is a predicted increase in the use of biometric sensors in the livestock farming and animal health industries throughout the next decade. These advantages come from their ability to provide real-time results, high accuracy, and the capacity to gather huge amounts of data. Acquiring information about animal wellbeing at the earliest possible stage enables quick action and often reduces the need for additional treatments. Thermal infrared (TIR) imaging can be used as an alternative to invasive thermometers that involve restriction and control of animals, to monitor their body temperatures. Thermal infrared imaging (TIR) of the eye region and overall skin temperature can be used to monitor stress levels and identify diseases sooner than previous methods, typically by 4-6 days (Koltes *et al.*, 2018). This allows for timely treatment and reduces the risk of disease spreading across groups of animals, such as flocks or herds (Martinez *et al.*, 2020). The main non-invasive sensors employed for monitoring livestock animals include thermometers, accelerometers, radio-frequency identification (RFID) tags, microphones, and cameras. These devices enable farmers to observe and monitor the temperature, activity levels, sound levels in the barn (such as vocalizations, sneezing, and coughing), and specific behaviors (such as aggression in pigs) (Benjamin & Yik, 2019).

Thermometers, in conjunction with physiological sensors such as TIR and heart rate monitors, can measure stress levels in animals before they are slaughtered. These measurements can then be compared with meat quality indicators to improve the uniformity and excellence of consumer products (Jorquera-Chavez *et al.*, 2019). By using biometric sensors, researchers can immediately identify fluctuations in heart rate about both positive (eustress) and negative stressors. They can also compare individual responses among animals and monitor how heart rate changes over time as a result of various stresses. During an experiment with pigs, the presence of a negative stressor resulted in a temporary increase in heart rate for one minute after exposure to a loud noise. Providing a positive stressor, such as a towel to play with, resulted in an increased heart rate that lasted for two minutes. Conventional or indirect indicators of welfare may lack the ability to identify these complex variations (Joosen *et al.*, 2019). Heart rate monitors are valuable tools for measuring both overall health and metabolic energy generation. Biometric sensors, such as photoplethysmographic sensors, can be easily attached to ear tags or other body areas to provide continuous monitoring of livestock heart rates (Nie *et al.*, 2020).

Livestock farmers are increasingly using RFID devices, which can be attached to ear tags and collars or placed under the skin, to monitor a diverse range of behaviors including overall activity, feeding, and drinking. Utilizing microphones, acoustic analysis enables monitoring of vocalizations and coughing, providing early detection of welfare concerns for farmers. Microphones possess the benefit of effortless and discreet installation in barns to monitor sizable animal populations (Mahdavian *et al.*, 2020). Similarly, cameras may be easily placed in barns and utilized to record a diverse range of practical information. Video image algorithms can identify changes in animals' posture, which may act as an indication of lameness and other health issues (Jorquera-Chavez *et al.*, 2019). Camera image analysis enables the monitoring of animal weight, movement, water consumption, individual identification, and aggression (Norton *et al.*, 2019).

Automated animal welfare monitoring is increasingly focused on the development of facial detection technology. Facial recognition technologies utilize machine learning algorithms to identify specific features on an animal's face,

enabling the identification of individuals or the monitoring of changes associated with emotional states (Marsot *et al.*, 2020). A group of animal welfare researchers are now working on the development of "grimace scales" for animals. These scales aim to help stockpeople effectively monitor the emotional states of animals, specifically focusing on pain (Viscardi *et al.*, 2017). Livestock animals often undergo distressing operations such as dehorning, tail docking, and castration (Viscardi *et al.*, 2017; Müller *et al.*, 2019). Facial expression analysis can accurately identify behavioral intent in animals. Pigs that display aggression show noticeable facial variations compared to those that decrease or avoid violence (Camerlink *et al.*, 2018). Facial detection has been suggested as a more economical substitute for RFID tags in identifying individual animals (Marsot *et al.*, 2020).

Biometric sensors play a crucial role in mitigating the effects and transmission of diseases. These sensors are capable of monitoring temperature fluctuations, behavioral patterns, sound levels, and physiological indicators such as pH levels, metabolic activity, pathogens, and the detection of toxins or antibiotics within the body. The overutilization of antibiotics in cattle farming is presently a significant issue with severe consequences for human health (Himu & Raihan, 2023). The ability to detect the presence of antibiotics enables farmers to provide treatment to animals for illnesses, while simultaneously ensuring the production of safe and nutritious animal products for the world population. Biosensing technologies can be employed to identify harmful infections, including avian influenza, coronavirus, and Johne's disease. Johne's disease is a harmful bacterial illness in ruminants that can lead to significant financial losses for farmers. Biometric sensors are capable of detecting indicators associated with inflammation, enabling the monitoring of diseases on a large scale. For example, thermal infrared imaging (TIR) can be used to identify foot diseases by analyzing images of feet (Jorquera-Chavez *et al.*, 2019). Figure 2 presents the applications of biosensors in livestock production.




Fig 2: Applications of biosensors in livestock production.

Big Data Analytics and Machine Learning

The utilization of biometric sensors and biosensors in monitoring the well-being and condition of livestock generates huge amounts of data that need processing and analysis to produce useful information for animal management. This has resulted in progress in the field of big data analytics, which involves obtaining and examining extensive and intricate datasets (Wolfert *et al.*, 2017; Raihan, 2023f). Big data refers to data sets that are defined by a vast number of rows and columns, making it difficult to visually examine the data. Additionally, these data sets often contain numerous variables or predictors, which makes them complex and inappropriate for typical statistical procedures (Morota *et al.*, 2018). Big data are characterized by four key attributes, collectively known as the “4 Vs” model: (i) volume, the quantity of data; (ii) velocity, the speed of accessing or using the data; (iii) variety, the different forms

of the data; and (iv) veracity, cleaning and editing the data (Wolfert *et al.*, 2017; Koltes *et al.*, 2019).

The PLF technologies utilize advanced data analytics and modeling to provide managers with accurate information regarding dietary requirements, reproductive conditions, and decreasing productivity patterns, which may suggest potential concerns related to animal health and welfare. Big data models analyze data collected from sensors to detect abnormalities that may impact the animals. Big data models contribute to the efficiency of sensor technology by sorting through to provide meaningful output for farms, including likelihood prediction of future events, improving farmer response and decision-making, and may even allow farmers to group animals based on needs, leading to greater utilization of resources (Koltes *et al.*, 2019). The data from sensors can be categorized into two types: animal-oriented data, which focuses on the characteristics of the animals (phenotype), and environment-oriented data, which focuses on the characteristics of the surroundings. It is important to monitor both of these data types at the same time as they both affect the health and productivity of animals. The utilization of animal and environmental data in the digitalization of livestock agriculture has the potential to enhance various aspects such as health management, nutrition, genetics, reproduction, welfare, biosecurity, and greenhouse gas emissions (Piñeiro *et al.*, 2019).

Analysis of data can be categorized into two main types: exploratory and predictive. Exploratory methods analyze data from past events to identify relevant aspects, whereas predictive models utilize data to forecast future occurrences based on specific criteria (Sasaki, 2019). Accurate use of data analysis is essential when working with large data sets. The presence of diverse data requires considering of several factors in the scenarios, and it is necessary to remove irrelevant information to clean the data (Koltes *et al.*, 2019). Farmers may use predictive techniques to forecast future outcomes and adopt a proactive management approach (Wolfert *et al.*, 2017). Big data technology may help in disease transmission monitoring by building contact networks and identifying populations at high risk (VanderWaal *et al.*, 2017).

Machine learning (ML) is a branch of artificial intelligence that uses algorithms to make statistical predictions and inferences (Morota *et al.*, 2018; Raihan, 2023g). Data mining is a process that involves training databases to recognize patterns to provide information (Raihan, 2023h). The ML is a new field in PLF that uses large datasets to develop computer algorithms. These algorithms may continually acquire information from sensor data and increase their performance without the involvement of a human data analyst (Benjamin & Yik, 2019).

The ML techniques are widely used in animal genetics research to make predictions about phenotypes using genotypic data, detect anomalies in a population, and do genotype imputation. The ML is also used to identify mastitis in dairy farms using automated milking technology, estimate body weight by image analysis, and monitor the health of the microbiome (Morota *et al.*, 2018). The ML and big data analytics possess the capacity to enhance the welfare and productivity of dairy cattle. These disorders, lameness, and mastitis, are significant welfare concerns in dairy cattle and can have a negative impact on milk production. Monitoring and predicting the possibility of these conditions is crucial. (Ebrahimi *et al.*, 2019; Taneja *et al.*, 2020; Warner *et al.*, 2020).

Big data analytics approaches can be used to gather and combine data from several farms, aiming to enhance the efficiency of production processes and systems (Aiken *et al.*, 2019). The importance of big data is dependent on the automation, accessibility, and accuracy of the provided data. To ensure the quality of the data, it is important to include error checking and quality control measures (VanderWaal *et al.*, 2017). To effectively use PLF on farms, it will be essential to create software, establish quality control mechanisms, develop database systems, and use statistical methods to effectively summarize and visualize the data. Additionally, it will be essential to select the most suitable data models for this purpose (Koltes *et al.*, 2019). Privacy and security pose significant challenges when dealing with large-scale data collected from farms (Wolfert *et al.*, 2017). As a result, the gathering of data on farms is presently not fully utilized due to farmers' priority for maintaining privacy.

By utilizing data collected from biometric and biological sensors, advanced data analysis can be applied to develop digital farming service systems that have the potential to improve animal production capacity, productivity, and livestock welfare. The MooCare predictive model has been created to help dairy producers in dairy farming management using Internet of Things (IoT) sensors and big data. This model predicts milk output (Righi *et al.*, 2020). Gulyaeva *et al.* (2020) created methods based on large data sets to identify and predict chicken diseases. The digital data collected from the animals' wearable sensors and livestock husbandry sensing platforms can be used to generate a digital fingerprint. This fingerprint can then be utilized in predictive and adaptive decision-making

methods. The three factors, namely Footprint, Fingerprint, and Forecast will not only guide livestock producers in managing animal production but also help in the development of integrated application systems for livestock value, supply, and food chains (Tsay *et al.*, 2019). Figure 3 presents the sensor-based big data applications in precision livestock production.




Fig.3: Sensor-based big data applications in precision livestock production (Neethirajan & Kemp, 2021).

Blockchain

A blockchain is a protected database of activities that is decentralized or distributed, with each transaction generating a node. The nodes are arranged into records, referred to as "blocks", through an agreement among participating organizations. These blocks are interconnected and have unique hash codes, creating a chain. Whenever a new transaction occurs, a node is immediately generated containing relevant information about that transaction, which is then added to the blockchain (Chattu *et al.*, 2019). The fundamental characteristics of blockchain technology are distributed, transparent, immutable, and democratic. In the field of livestock husbandry, it is necessary to give a separate identification to each animal on the farm. This separate identification will stay with the animal for its entire lifespan, gathering information about the farm(s) it stayed in, the method of transportation employed to transfer the animal from the farm(s) to the slaughterhouse, the veterinarian responsible for examining the animal at the slaughterhouse, the assessment of quality after slaughter, the transportation of the meat product, and ultimately, details about the packaging and selling of the product.

Blockchain technology offers numerous benefits to livestock farming, such as decentralized and automated transactions that may improve the efficiency of auditing systems for certification and regulatory agencies. It also enables easy system integration and maintains organized records of all transactions related to an animal's route from farm to table. Moreover, it improves traceability and transparency within the livestock agriculture sector (Picchi *et al.*, 2019). In recent times, there has been an increasing absence of trust between farmers and customers as a result of the rising need for transparency in farm products. Blockchain technology has the potential to increase trust by offering consumers clear and comprehensive information about the entire lifespan of an animal.

The implementation of blockchain technology has the potential to be extremely helpful in the identification and monitoring of outbreaks of animal diseases, including H1N1 swine flu, Foot-and-Mouth and Mad Cow diseases, Avian influenza, and the recent increase in salmonella infections. Consumers are becoming more aware of the environmental and ethical aspects of livestock production (Raihan, 2023i). They are also demanding transparency about the methods used to raise animals. Food safety is an important concern for consumers. According to the World Health Organization, every year, 1 in 10 people suffer from food-related illnesses, resulting in over 420,000 deaths

annually (WHO, 2020). Blockchain technology has the potential to increase the ability to monitor and locate the origin of harmful foods, hence improving the traceability and responsibility for problematic activities in livestock farming (Lin *et al.*, 2018). One important benefit of blockchain technology is that information is distributed among a network of users rather than being controlled and held by a single individual or group. If there is an outbreak of a disease affecting livestock, farmers from all over the world would be able to input and access disease data safely. This would enable them to actively contribute towards controlling the outbreak or prepare themselves for an outbreak that they predict may affect their farm (Chattu *et al.*, 2019).

With the increasing globalization of food chains and systems (Raihan, 2023j), animal products have to follow multiple animal welfare and sustainability regulations and standards. Regulators and third-party inspectors want easy access to regulatory documentation, which can be challenging when this material exists in physical form or restricted databases (Motta *et al.*, 2020). As of 2020, the livestock farm industry is still lacking in digitalization compared to other industries, indicating significant potential for progress (Motta *et al.*, 2020). The implementation of blockchain technology in animal agriculture has the potential to address the aforementioned concerns related to disease outbreaks and food safety.

Figure 4 illustrates the simplified operational framework of the system as it delivers services to various users. The primary focus of the quarantine department is to ensure the verification of vaccine quarantines and the thorough checking of health data. Meanwhile, the agricultural regulatory department is focused on specific requirements of the farming process. The environmental protection agency expresses concern about environmental difficulties (Raihan, 2023k) that arise throughout the breeding process, including the disposal of breeding waste. Nevertheless, the primary focus for farmers is on getting animal breeding information. Slaughterhouses require a system that helps in the management of livestock slaughter, and distributors require access to the slaughter information. Insurance agencies demand detailed information about the health status of the permitted livestock, whereas financial institutions focus on gathering information about farmers' assets and livestock breeding practices to make accurate risk assessments.




Fig 4: The simplified business model of livestock insurance (Shen *et al.*, 2023).

Despite its numerous advantages, blockchain technology is now in the preliminary phases of progress for extensive use in the food business, with only a limited number of research examining its effects on livestock farming (Picchi *et al.*, 2019). Bioengineers and data scientists can contribute significantly to the development of specific criteria for selecting the most effective blockchain solution for specific industries in cattle production.

Conclusion

This review article focuses on PLF technologies, which aim to enhance livestock production while tackling customer worries. The technologies explored in this research include biometric sensors, big data analysis, and blockchain technology. The implementation of PLF technologies can tackle consumers' increasing concerns regarding animal welfare, environmental sustainability, and public health. Additionally, it can also help in meeting the rising demand for animal products due to the expanding human population. Biometric sensors enable farmers to gather instant data on the well-being and condition of animals, helping them implement proactive management

measures that ensure sustainable and secure food production. Big data analysis converts sensor data into meaningful and useful results for farms. The implementation of blockchain technology enhances the transparency and traceability of animal agriculture, hence increasing customer trust while improving food safety. However, the use of PLF technology on animal farms is currently in its developing stage, and several challenges must be overcome before these technologies gain popularity among farmers and consumers globally. The achievement of a digitally inclusive and healthy society, which is made possible by innovative digitalization techniques for livestock farming, requires active participation and engagement from citizens in the collaboration and approval of technological development.

Contribution by Authors

Each co-author contributes equally.

Conflict of Interests

There is no conflict of interest.

Publisher Disclaimer

IJLR remains neutral concerning jurisdictional claims in published institutional affiliation.

References

1. Aiken, V. C. F., Dórea, J. R. R., Acedo, J. S., de Sousa, F. G., Dias, F. G., & de Magalhães Rosa, G. J. (2019). Record linkage for farm-level data analytics: Comparison of deterministic, stochastic and machine learning methods. *Computers and Electronics in Agriculture*, 163, 104857.
2. Baldi, A., & Gottardo, D. (2017). Livestock production to feed the planet: Animal protein: A forecast of global demand over the next years. *Rel.: Beyond Anthropocentrism*, 5, 65.
3. Benjamin, M., & Yik, S. (2019). Precision livestock farming in swine welfare: a review for swine practitioners. *Animals*, 9(4), 133.
4. Bernabucci, U. (2019). Climate change: impact on livestock and how can we adapt. *Animal Frontiers*, 9(1), 3-5.
5. Camerlink, I., Coulange, E., Farish, M., Baxter, E. M., & Turner, S. P. (2018). Facial expression as a potential measure of both intent and emotion. *Scientific reports*, 8(1), 17602.
6. Chattu, V. K., Nanda, A., Chattu, S. K., Kadri, S. M., & Knight, A. W. (2019). The emerging role of blockchain technology applications in routine disease surveillance systems to strengthen global health security. *Big Data and Cognitive Computing*, 3(2), 25.
7. Ebrahimi, M., Mohammadi-Dehcheshmeh, M., Ebrahimie, E., & Petrovski, K. R. (2019). Comprehensive analysis of machine learning models for prediction of sub-clinical mastitis: Deep Learning and Gradient-Boosted Trees outperform other models. *Computers in biology and medicine*, 114, 103456.
8. Ellen, E. D., Van Der Sluis, M., Siegford, J., Guzhva, O., Toscano, M. J., Bennewitz, J., ... & Rodenburg, T. B. (2019). Review of sensor technologies in animal breeding: phenotyping behaviors of laying hens to select against feather pecking. *Animals*, 9(3), 108.
9. Gulyaeva, M., Huettmann, F., Shestopalov, A., Okamatsu, M., Matsuno, K., Chu, D. H., ... & Bortz, E. (2020). Data mining and model-predicting a global disease reservoir for low-pathogenic Avian Influenza (AI) in the wider pacific rim using big data sets. *Scientific reports*, 10(1), 16817.
10. Helwatkar, A., Riordan, D., & Walsh, J. (2014). Sensor technology for animal health monitoring. *International Journal on Smart Sensing and Intelligent Systems*, 7(5), 1-6.
11. Himu, H. A., & Raihan, A. (2023). A review of the effects of intensive poultry production on the environment and human health. *Journal of Veterinary Science and Animal Husbandry*, 11(2), 203.
12. Joosen, P., Norton, T., Marchant-Forde, J., & Berckmans, D. (2019). Animal welfare monitoring by real-time physiological signals. *Precision Livestock Farming'19*, 337-344.
13. Jorquera-Chavez, M., Fuentes, S., Dunshea, F. R., Jongman, E. C., & Warner, R. D. (2019). Computer vision and remote sensing to assess physiological responses of cattle to pre-slaughter stress, and its impact on beef quality: A review. *Meat science*, 156, 11-22.
14. Klerkx, L., Jakku, E., & Labarthe, P. (2019). A review of social science on digital agriculture, smart farming

- and agriculture 4.0: New contributions and a future research agenda. *NJAS-Wageningen journal of life sciences*, 90, 100315.
15. Koltes, J. E., Cole, J. B., Clemmens, R., Dilger, R. N., Kramer, L. M., Lunney, J. K., ... & Reecy, J. M. (2019). A vision for development and utilization of high-throughput phenotyping and big data analytics in livestock. *Frontiers in genetics*, 10, 1197.
 16. Koltes, J. E., Koltes, D. A., Mote, B. E., Tucker, J., & Hubbell III, D. S. (2018). Automated collection of heat stress data in livestock: new technologies and opportunities. *Translational Animal Science*, 2(3), 319-323.
 17. Lin, J., Shen, Z., Zhang, A., & Chai, Y. (2018). Blockchain and IoT based food traceability for smart agriculture. In *Proceedings of the 3rd international conference on crowd science and engineering* (pp. 1-6).
 18. Mahdavian, A., Minaei, S., Yang, C., Almasganj, F., Rahimi, S., & Marchetto, P. M. (2020). Ability evaluation of a voice activity detection algorithm in bioacoustics: A case study on poultry calls. *Computers and electronics in agriculture*, 168, 105100.
 19. Marsot, M., Mei, J., Shan, X., Ye, L., Feng, P., Yan, X., ... & Zhao, Y. (2020). An adaptive pig face recognition approach using Convolutional Neural Networks. *computers and Electronics in Agriculture*, 173, 105386.
 20. Martinez, B., Reaser, J. K., Dehgan, A., Zamft, B., Baisch, D., McCormick, C., ... & Selbe, S. (2020). Technology innovation: advancing capacities for the early detection of and rapid response to invasive species. *Biological Invasions*, 22(1), 75-100.
 21. Morota, G., Ventura, R. V., Silva, F. F., Koyama, M., & Fernando, S. C. (2018). Big data analytics and precision animal agriculture symposium: Machine learning and data mining advance predictive big data analysis in precision animal agriculture. *Journal of animal science*, 96(4), 1540-1550.
 22. Motta, G. A., Tekinerdogan, B., & Athanasiadis, I. N. (2020). Blockchain applications in the agri-food domain: the first wave. *Frontiers in Blockchain*, 3, 6.
 23. Müller, B. R., Soriano, V. S., Bellio, J. C. B., & Molento, C. F. M. (2019). Facial expression of pain in Nellore and crossbred beef cattle. *Journal of Veterinary Behavior*, 34, 60-65.
 24. Neethirajan, S., & Kemp, B. (2021). Digital livestock farming. *Sensing and Bio-Sensing Research*, 32, 100408.
 25. Nie, L., Berckmans, D., Wang, C., & Li, B. (2020). Is continuous heart rate monitoring of livestock a dream or is it realistic? A review. *Sensors*, 20(8), 2291.
 26. Norton, T., Chen, C., Larsen, M. L. V., & Berckmans, D. (2019). Precision livestock farming: Building ‘digital representations’ to bring the animals closer to the farmer. *Animal*, 13(12), 3009-3017.
 27. Ochs, D. S., Wolf, C. A., Widmar, N. J., & Bir, C. (2018). Consumer perceptions of egg-laying hen housing systems. *Poultry Science*, 97(10), 3390-3396.
 28. Picchi, V. V., de Castro, E. F., Marino, F. C., & Ribeiro, S. L. (2019). Increasing the confidence of the Brazilian livestock production chain using Blockchain. In *Proceedings of the 2019 2nd International Conference on Blockchain Technology and Applications* (pp. 93-98).
 29. Piñeiro, C., Morales, J., Rodríguez, M., Aparicio, M., Manzanilla, E. G., & Koketsu, Y. (2019). Big (pig) data and the internet of the swine things: a new paradigm in the industry. *Animal frontiers*, 9(2), 6-15.
 30. Raihan, A. (2023a). The influence of meat consumption on greenhouse gas emissions in Argentina. *Resources, Conservation & Recycling Advances*, 19, 200183.
 31. Raihan, A. (2023b). An econometric assessment of the relationship between meat consumption and greenhouse gas emissions in the United States. *Environmental Processes*, 10(2), 32.
 32. Raihan, A. (2023c). A review of the global climate change impacts, adaptation strategies, and mitigation options in the socio-economic and environmental sectors. *Journal of Environmental Science and Economics*, 2(3), 36-58.
 33. Raihan, A. (2023d). An econometric evaluation of the effects of economic growth, energy use, and agricultural value added on carbon dioxide emissions in Vietnam. *Asia-Pacific Journal of Regional Science*, 7, 665-696.
 34. Raihan, A. (2023e). Toward sustainable and green development in Chile: dynamic influences of carbon emission reduction variables. *Innovation and Green Development*, 2, 100038.
 35. Raihan, A. (2023f). An Overview of the Implications of Artificial Intelligence (AI) in Sixth Generation (6G) Communication Network. *Research Briefs on Information and Communication Technology Evolution*, 9, 120-146.
 36. Raihan, A. (2023g). A comprehensive review of artificial intelligence and machine learning applications in energy consumption and production. *Journal of Technology Innovations and Energy*, 2(4), 1-26.
 37. Raihan, A. (2023h). A Comprehensive Review of the Recent Advancement in Integrating Deep Learning with Geographic Information Systems. *Research Briefs on Information and Communication Technology Evolution*, 9, 98-115.

38. Raihan, A. (2023i). The dynamic nexus between economic growth, renewable energy use, urbanization, industrialization, tourism, agricultural productivity, forest area, and carbon dioxide emissions in the Philippines. *Energy Nexus*, 9, 100180.
39. Raihan, A. (2023j). Sustainable development in Europe: A review of the forestry sector's social, environmental, and economic dynamics. *Global Sustainability Research*, 2(3), 72-92.
40. Raihan, A. (2023k). Economy-energy-environment nexus: the role of information and communication technology towards green development in Malaysia. *Innovation and Green Development*, 2, 100085.
41. Raihan, A. (2024). The influence of tourism on the road to achieving carbon neutrality and environmental sustainability in Malaysia: the role of renewable energy. *Sustainability Analytics and Modeling*, 4, 100028.
42. Raihan, A., & Himu, H. A. (2023). Global impact of COVID-19 on the sustainability of livestock production. *Global Sustainability Research*, 2(2), 1-11.
43. Righi, R. R., Goldschmidt, G., Kunst, R., Deon, C., & da Costa, C. A. (2020). Towards combining data prediction and internet of things to manage milk production on dairy cows. *Computers and Electronics in Agriculture*, 169, 105156.
44. Shen, L., Zhang, Z., Zhou, Y., & Xu, Y. (2023). Applying Blockchain Technology and the Internet of Things to Improve the Data Reliability for Livestock Insurance. *Sensors*, 23(14), 6290.
45. Sasaki, Y. (2019). Detection and Prediction of Risk Factors Associated with Production Losses Using Production Records on Commercial Pig Farms. FFTC Agricultural Policy Platform (FFTC-AP).
46. Taneja, M., Byabazaire, J., Jalodia, N., Davy, A., Olariu, C., & Malone, P. (2020). Machine learning based fog computing assisted data-driven approach for early lameness detection in dairy cattle. *Computers and Electronics in Agriculture*, 171, 105286.
47. Thornton, P. K. (2010). Livestock production: recent trends, future prospects. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 365(1554), 2853-2867.
48. Tsay, J. R., Lu, C. T., & Tu, T. C. (2019). Application of common information platform to foster data-driven agriculture in Taiwan. *Food Agricultural Policy Platform Article*.
49. VanderWaal, K., Morrison, R. B., Neuhauser, C., Vilalta, C., & Perez, A. M. (2017). Translating big data into smart data for veterinary epidemiology. *Frontiers in veterinary science*, 4, 110.
50. Viscardi, A. V., Hunniford, M., Lawlis, P., Leach, M., & Turner, P. V. (2017). Development of a piglet grimace scale to evaluate piglet pain using facial expressions following castration and tail docking: a pilot study. *Frontiers in veterinary science*, 4, 51.
51. Warner, D., Vasseur, E., Lefebvre, D. M., & Lacroix, R. (2020). A machine learning based decision aid for lameness in dairy herds using farm-based records. *Computers and electronics in agriculture*, 169, 105193.
52. WHO. (2020). Food Safety, World Health Organization (WHO). Available at: <https://www.who.int/news-room/fact-sheets/detail/food-safety> (Accessed 12 December, 2023).
53. Wolfert, S., Ge, L., Verdouw, C., & Bogaardt, M. J. (2017). Big data in smart farming—a review. *Agricultural systems*, 153, 69-80.
